

Important instructions:

- Read the manufacturer's instructions carefully
- Treat the bamboo only in dry weather, minimum temperature 13 °C
- Avoid direct sunlight and/or high temperatures (maximum 25 °C)
- Maintenance frequency: 1 to 2 times a year or as required depending on the weather / exposure.

A. Cleaning

Products: WOCA Exterior Wood Cleaner (ref.: ET992P)

Stiff-bristle brush (ref.: ES-W599601)

Coverage: 10 to 50 m²/litre depending on the degree of soiling.

- Mix the Exterior Cleaner with water at a ratio of 1:2 to 1:10 depending on the dirt.
- Wet the deck so that it is thoroughly damp.
- Apply the cleaner in an even coat with the WOCA deck brush or another stiff scrubbing brush.
- Leave the cleaner to act for five minutes.
- Scrub the surface in the direction of the fibres with the brush until the surface is clean.
- Repeat if necessary.
- Rinse the surface with plenty of clean water and leave to dry for at least 24 hours.



B. Oiling

Products: WOCA Exterior Wood Oil (shade: Teak, Walnut or Natural)

WOCA oil applicator (ref.: ES880151)

Coverage: 10 to 15 m²/litre

- Mix the oil well before application.
- Make sure it does not rain in the 24h after application.
- Apply a thin coat of oil with the WOCA applicator or brush in the direction of the fibres.
- In liquid form, the oil has a cream tint. After a few minutes, your deck will look oiled. If the bamboo does not look saturated, repeat the treatment.
- Within 5 minutes of application, remove the excess oil with a cotton cloth (no microfibre).
- For the Ceylon we recommend Woca Exterior Oil Teak (ref.: ET90-T-2), for the Espresso, Woca Exterior Oil Walnut (ref.: ET90-WN-2). Woca Exterior Oil Natural offers less protection against UV and does not restore the original colour.
- The oil will be completely dry after 24 to 48 hours, depending on the weather.
- Do not expose the deck to water during the drying time.

